

# NOTICE OF PUBLIC HEARING

## SUBDIVISION APPLICATION

### RM of West St. Paul

Under authority of *The Planning Act*, the municipal Council will hold a public hearing at the time and location listed below to hear from those who wish to speak in support or objection, or to ask questions. For more info on how to register for the public hearing please contact the municipality at (204)338-0306

**Thursday**  
**February 12<sup>th</sup>, 2026**  
**6:00 PM**

**Council Chambers**  
**3550 Main Street**  
**RM of West St Paul, MB**

*Note: property owners are responsible for notifying "tenants"*

#### APPLICATION INFORMATION

**Application File:** S26-3129

**Applicant:** Daniel Grenkow


**Property Location:** 2858 Rushman Road,  
WSP.

**Roll #**312700

**Legal:** CT 3371645/1

**Application Purpose:**

The applicant proposes to subdivide the land of 78.77 acres on title CT 3371645/1 into one (1) additional lot of 7 ac in "A80" Agricultural – 80-acre parcels.




Zoning By-law Requirement "A80" Agricultural – 80-acre parcels	Proposed and Residual Lots site area and site width
<b>Lot Size Requirement:</b> Site area: 80 ac/2-4 ac Site width:300 ft	<b>Proposed Lots:</b> 7 ac, 719ft <b>Residual Lot:</b> <80 ac but more than 2-4 ac, >300 ft

A copy of the above-noted proposal and supporting material is available on the Red River Planning District website at <https://www.redriverplanning.com/hearings.php> or by contacting the Red River Planning District in person during normal business hours Monday to Friday at 2978 Birds Hill Road, East St. Paul, by phone at 204 669-8880, or by email at [info@rrpd.ca](mailto:info@rrpd.ca)

# Subdivision S26-3129

Date Prepared: February 4<sup>th</sup>, 2026

<b>Address:</b>	2858 Rushman Road, WSP.
<b>Legal Description:</b>	CT 3371645/1
<b>Roll Number(s):</b>	312700
<b>Zoning:</b>	“A80” Agricultural – 80 acre parcels
<b>Development Plan:</b>	“RA” Resource and Agriculture
<b>Report Prepared by:</b>	Valentina Esman, Community Planner



## **PUBLIC HEARING REQUIRED**


## **EXECUTIVE SUMMARY:**

The subject property consists of one lot of 78.77 acres on title CT 3371645/1. The applicant is seeking to subdivide the subject land into one (1) additional lot.

The proposal is consistent with the Red River Planning District Development Plan By-Law 279/19 objectives and policies for *Resource and Agriculture* designations as per 4.1.14 policy. The Red River Planning District recommends that the application be **approved with conditions**.

## **RECOMMENDATION – APPROVE WITH CONDITIONS.**

## **1.0 PROPOSAL:**



The subject property consists of one lot of 78.77 acres on title CT 3371645/1. The applicant is seeking to subdivide the subject land into one (1) additional lot. The subdivision application map (SAM) is provided in the appendix to this report.

## **2.0 SITE CONTEXT AND BACKGROUND:**

The subject property consists of one lot of 78.77 acres on title CT 3371645/1. The applicant is seeking to subdivide the subject land into one (1) additional lot.

The subject land is designated *Resource and Agriculture designation* in the Red River Development Plan (adopted by RRPD Board on August 19, 2020). The area around the subject property is as follows:

- To the North – Rushman Rd and then RM of Rockwood
- To the South – 1 and 120 ac lots zoned A80- “Agricultural – 80-acre zone parcels”
- To the East – 38.8 and 80 ac lots zoned A80- “Agricultural – 80-acre zone parcels”
- To the West – 139.57 ac lot zoned A80- “Agricultural – 80-acre zone parcels”

### **3.0 DEVELOPMENT PLAN (BY-LAW 272/19):**

#### **Land Use Designation: Resource and Agriculture**

Applicable Subdivision Objectives/Policies for Consideration are listed as follows:

#### **Objectives**

- 4.1.a To protect, support and strengthen agriculture as the primary land use in the district.
- 4.1.b To reserve Resource and Agriculture areas in the City of Selkirk for future orderly and sustainable urban expansion.
- 4.1.c To protect Resource and Agricultural areas for agricultural and resource use by preventing the development of conflicting uses which may restrict these uses or have an inflating effect on agricultural land assessment.
- 4.1.d To provide flexibility for farm operators to engage in differing types and sizes of farm operations.
- 4.1.e To minimize the potential for the pollution of water, soil and air, while providing for expansion of livestock production operations in a manner that ensures it is directed to areas where any nuisance, conflict, and environmental impact will be minimized.
- 4.1.f To provide for a limited amount of small holding development under specified conditions.
- 4.1.g To direct intensive commercial and industrial development which requires a high degree of dependence on municipal infrastructure and services to the City of Selkirk and designated Business Park and Industrial areas.
- 4.1.h To support the development of agro-related industrial and commercial activities, particularly those that complement the agricultural economy, as well as limited highway commercial and industrial development in a manner that is compatible with municipal servicing capabilities, the natural environment, surrounding uses, and provincial highway system.
- 4.1.i To ensure that farmers are able to supplement their incomes while maintaining agriculture as their principal activity.

#### **Policies**

- 4.1.1 Resource and Agriculture areas shall be preserved for a full range and intensity of agricultural and resource based activities.
- 4.1.2 Development in the Resource and Agriculture areas will be restricted to agriculture, agriculture related, and resource based uses except as further provided herein.
- 4.1.3 Land uses and development that conflict with a full range and intensity of resource and agricultural activities shall be directed away from Resource and Agriculture areas.
- 4.1.4 Where additional accessory housing is necessary to assist with an agricultural enterprise, such accommodation may be provided on the existing farmstead as part of the farm unit if staff or family members living in the additional housing are significantly employed by the agricultural enterprise. Such accommodations may be in the form of permanent or temporary structures. It is not intended that this accessory housing will be subdivided from the farm.

.....  
Where feasible, existing non-conforming small holdings should be consolidated as a requirement of subdivision approval.

*4.1.13 Land in the Resource and Agriculture designation area should generally be held in parcels of a minimum 80 acres in size in order to accommodate a wide range of agricultural and resource based activities.*

*4.1.14 Land divisions which create small parcels for non-agricultural or resource related uses shall not be permitted except as provided herein, and subject to a maximum of only one (1) subdivision per 80-acre title:*

*4.1.14.1 Parcels with a habitable residence that have been acquired through farm enlargement or consolidation or if a retiring farmer wishes to retire on his or her farm, a farmstead may be subdivided taking into consideration the configuration of the existing yard when the residence is not required for the*

agricultural enterprise, the bounds of the parcel do not exceed an established shelterbelt or yard and are not wasteful of agricultural lands.

4.1.14.2 A new non-agricultural related dwelling on a separate site for an individual whose presence, is necessary in assisting with the permitted agricultural activity with the intent of deriving a significant income from the agricultural activity.

4.1.14.3 Where a site has been physically separated as a remnant parcel in the development of a transportation corridor or a major drain, cannot reasonably be used for farming purposes, and will not create a land use conflict if subdivided.

4.1.14.4 A farmstead site may be subdivided on an existing river lot of record that is less than 80 acres in size, so long as one has not yet been subdivided out at the time of adoption of this plan.

.....

The proposed subdivision application appears to meet the general intent as per 4.1.14 policy of the RRPD Development Plan. Conditions of subdivision approval are required in order to ensure continued conformance with the RRPD Development Plan policy.

#### **4.0 ZONING BY-LAW (BY-LAW NO. 2/99P):**

The proposed subdivision is located within both the “A80” Agricultural – 80-acre parcels, as per the R.M of West St. Paul Zoning By-law. The “A80” Zone has a minimum site area requirement of 80 acres and a minimum site width requirement of 300 feet and 2-4 ac and 300 ft as per DPA sec. 4.1.14.

<b>Zone:</b> Agricultural – 80-acre parcels			
<b>Lots</b>	<b>Required site area and width</b>	<b>Proposed site area and width</b>	<b>Compliance to the By-Law</b>
<b>Proposed Lot</b>	80 ac, 300 ft/ 2-4 ac, 300 ft (as per DPA sec. 4.1.4)	7.4 ac, 719 ft	In a compliance
<b>Residual Lot</b>	80 ac, 300 ft/ 2-4 ac, 300 ft (as per DPA sec. 4.1.4)	<80 but more than 2-4 ac, >300 ft	In a compliance

\*No exact measurements were provided for the Residual Lots, only approximate.

#### **5.0 SERVICES AND INFRASTRUCTURE:**

<b>Wastewater Services</b>
<ul style="list-style-type: none"><li>- Proposed: Septic Field</li><li>- Required: As per municipal / Province of Manitoba (MR 83/2003 Onsite Wastewater Management Regulation) standards</li></ul>
<b>Drinking Water</b>
<ul style="list-style-type: none"><li>- Proposed: Piped water</li><li>- Required: As per municipal / Province of Manitoba standards</li></ul>
<b>Road Standards</b>
<ul style="list-style-type: none"><li>- Proposed: Existing</li><li>- Required: Municipality / Province is authority responsible for roadway</li></ul>
<b>Drainage</b>
<ul style="list-style-type: none"><li>- Proposed: Natural</li><li>- Required: Municipality / Province is authority responsible for roadway</li></ul>

## **6.0 CIRCULATION AND COMMENTS:**

Note: Comments are paraphrased. Original copy of comments are attached in the appendix.

### **GOVERNMENT DEPARTMENTS AND AGENCIES**

<b>Municipality</b>	<ol style="list-style-type: none"><li>1. Applicant / owner submits confirmation in writing from the Chief Administrative Officer of the municipality that:<ol style="list-style-type: none"><li>a. taxes on the land to be subdivided for the current year, plus any arrears have been paid or arrangements satisfactory to Council have been made;</li><li>b. payment of any applicable development levies; and</li><li>c. enter into a Development Agreement with the Municipality addressing matters including but not limited to:<ol style="list-style-type: none"><li>i. Development fees</li><li>ii. Servicing</li><li>iii. A drainage / lot grading plan to be prepared by a qualified engineer and submitted prior to any development to the satisfaction of the municipality, and to ensure that the proposed property does not drain into, or impede drainage from neighboring properties;</li><li>iv. Access</li><li>v. Requirement that owner notify prospective buyers of the property's proximity to the Rockwood Sensitive Area.</li></ol></li></ol></li></ol>
<b>Manitoba Agriculture and Resource Development</b>	(see the full comment in Appendix C)
<b>Manitoba Infrastructure - Highway Planning and Design Branch</b>	<p>The intent is to create one lot which contains an existing rural residence. The proposed lot has frontage along PR 321 (Rushman Road) and Pipeline Road with two existing accesses onto PR 321. The residual has frontage along PR 321 and Pipeline Road with an existing access onto PR 321. There are no changes in land use.</p> <p>Based on available information, we do not object to this subdivision as proposed. Please be advised that Manitoba Transportation and Infrastructure will not approve any additional direct property access onto PR 321 nor any increase in use of the existing access onto PR 321.</p> <p>In order to maintain or improve traffic safety and efficiency, our policy is to limit or reduce the number of locations at which turning movements occur onto the highway and maximize the spacing between intersections. Wherever possible, we look for the opportunity to remove access connections and/or utilize existing access for joint use.</p> <p>Please include the following as a condition of approval:</p> <ul style="list-style-type: none"><li>• The owners obtain a permit for the removal of the easterly existing access onto PR 321 (access closest to Pipeline Road) for the proposed lot. For permit information, please email <a href="mailto:accessmgmt@gov.mb.ca">accessmgmt@gov.mb.ca</a> or call 204-583-2433. Permit information can also be found at <a href="https://forms.gov.mb.ca/highway-permits-application/index.html">https://forms.gov.mb.ca/highway-permits-application/index.html</a> Please note the following statutory requirements affecting PR 321.</li></ul> <p>Statutory Requirements:</p> <p>Under the Transportation Infrastructure Act, a permit is required from Manitoba Transportation and Infrastructure to construct, modify, relocate, remove or intensify the use of an access. A permit is also required from Manitoba Infrastructure to construct, modify or relocate</p>

	a structure or sign, or to change or intensify the use of an existing structure (including the alteration of existing buildings) within 38.1m (125ft) controlled area from the edge of the highway right-of-way. In addition, a permit is required from Manitoba Transportation and Infrastructure for any planting placed within 15 m (50 ft) from the edge of the highway right-of-way.
<b>MTI Water Review</b>	We have no concerns with this file
<b>Drainage &amp; Water Rights Licensing – Drainage Section</b>	no concerns and no requirement (see the full comment in Appendix C)
<b>Winnipeg Land Titles Office (Teranet Manitoba)</b>	Plan of Subdivision is required.
<b>Manitoba Sport, Culture and Heritage – Historic Resources Branch</b>	No concerns (see the full comment in Appendix C)
<b>Manitoba Transportation and Infrastructure – Water Management</b>	No concerns. (see the full comment in Appendix C)
<b>Manitoba Conservation - Environment and Climate Change, Environmental Compliance and Enforcement</b>	no concerns and no requirement (see the full comment in Appendix C)
<b>Mines Branch</b>	No comments received

#### **UTILITIES**

<b>MB Hydro and Centra Gas</b>	No comments received
<b>BellMTS</b>	no new easement requirements (see the full comment in Appendix C)
<b>Rogers Communications</b>	no concerns or requirements with this file

#### **OTHER AGENCIES**

<b>School Division</b>	No comments received
<b>Canada Post</b>	No requirements or comments

## **7.0 DECISION MAKING CRITERIA AND OPTIONS:**

*The Planning Act* (Section 123) states that a subdivision must not be approved unless it meets the following criteria:

- (a) The land that is proposed to be subdivided is suitable for the purpose for which the subdivision is intended; and
- (b) The proposed subdivision conforms with
  - i. The development plan by-law and zoning by-law,
  - ii. Any secondary plan, and
  - iii. The regulations under section 146.

Under Section 125(1) of *The Planning Act*, 'where the council of a municipality receives an application pursuant to Section 124(2), it shall, after considering the application, by resolution:

- (a) reject or refuse to approve the application for subdivision; or
- (b) approve the application for subdivision, with or without conditions as set out in Section 135.

## **8.0 ANALYSIS:**

The subject property consists of one lot of 78.77 acres on title CT 3371645/1. The applicant is seeking to subdivide the subject land into one (1) additional Proposed lot of 7 ac, 716 ft width and ± 71.77ac and >300 ft width Residual Lot.

The proposed subdivision is located within the “A80” Agricultural – 80-acre parcels Zone, as per the R.M of West St. Paul Zoning By-law. The “A80” Zone has a minimum site area requirement of 80 acres/ 2-4 ac too if the application falls under policy sec.4.1.14 of RRPD DPA and a minimum site width requirement of 300 feet.

The subject proposal adheres to the West St. Paul Zoning By-Law and to the intention of the policy in *Resource and Agriculture designation* in the Red River Development Plan (adopted by RRPD Board on August 19, 2020) **sec. 4.1.14**.

Based on the available information and the related analysis, RRPD recommends that the proposed subdivision **Be Approved with conditions**.

## **9.0 RECOMMENDED CONDITIONS:**

Should Council wish to approve the application our office would recommend the following conditions:

1. Applicant / owner submits confirmation in writing from the Chief Administrative Officer of the municipality that:
  - a. taxes on the land to be subdivided for the current year, plus any arrears have been paid or arrangements satisfactory to Council have been made;
  - b. payment of any applicable development levies; and
  - c. enter into a Development Agreement with the Municipality addressing matters including but not limited to:
    - i. Development fees
    - ii. Servicing
    - iii. A drainage / lot grading plan to be prepared by a qualified engineer and submitted prior to any development to the satisfaction of the municipality, and to ensure that the proposed property does not drain into, or impede drainage from neighboring properties;
    - iv. Access
    - v. Requirement that owner notify prospective buyers of the property's proximity to the Rockwood Sensitive Area.
2. The owners obtain a permit for the removal of the easterly existing access onto PR 321 (access closest to Pipeline Road) for the proposed lot. For permit information, please email [accessmgmt@gov.mb.ca](mailto:accessmgmt@gov.mb.ca) or call 204-583-2433. Permit information can also be found at <https://forms.gov.mb.ca/highway-permits-application/index.html>.

## **REQUIREMENTS**

- A. The Winnipeg Land Titles Office will require a Plan of Subdivision as proposed SAM is required. Please submit the surveyor's final plan tentatively approved by the Examiner of Surveys: one (1) original mylar, two (2) mylar copies and three (3) paper prints. If you have concerns with these requirements, please contact the District Registrar in the Winnipeg Land Titles Office..
- B. The Red River Planning District requires that the surveyor's drawing includes lot area and site width calculations, and confirmation that Crown land is not involved in the proposal.
- C. The Red River Planning District requires that the applicant provide a geo-referenced (UTM 14 NAD 83), digital plan of subdivision.
- D. The Red River Planning District requires that the applicant / owner submits a lot fee payable for each additional parcel or lot resulting from the approval of the subdivision as per the Fee Schedule at the time of Certificate of Approval issuance.

*cc: Applicant, WLTO, RM of WSP, MTI Highways.*

## APPENDIX A – RRPD LOCATION MAPS



### SUPPORTIVE MAPPING

Subdivision Application S26-3129  
2858 Rushman Road, RM of West St. Paul

Designation: "RA" Resource and Agriculture  
Zoning: "A80" Agricultural General

 Subject Property

 West St. Paul Boundary

 Roads

 Parcels Outline

Terms of Use/Disclaimer: All information is for display and estimate purposes only and is provided "as-is", the accuracy of information contained cannot be guaranteed and is in no way a legal representation of the municipality.

 RED RIVER  
PLANNING DISTRICT

## APPENDIX B – SUBDIVISION APPLICATION MAP

File No. 25-475

### SUBDIVISION APPLICATION MAP

BEING PART OF

N.E. 1/4 SECTION 31-12-3 E.P.M.

2858 RUSHMAN ROAD

RURAL MUNICIPALITY OF WEST ST. PAUL

GOVT RD. (RUSHMAN ROAD - ROAD 72N) ALL'CE  
PUBLIC ROAD PLAN NO. 22956  
(12.345 MDE) 806.820

M.G.S.P.  
NO CAP

76.20 106.68

APPROACH

PROPOSED LOT

RESIDUAL

APPROACH

GOVT RD. (PIPELINE ROAD - ROAD 13E) ALL'CE

PT. N.E. 1/4 SEC. 31-12-3 E.P.M.

SEC. 31

12 - 3 E.P.M.

76.20 106.68

APPROACH

GOVT RD. (PIPELINE ROAD - ROAD 13E)

1/4 LINE



Transportation and Infrastructure

Engineering and Technical Services Division

Highway Design Branch – Roadside Development Section

1420-215 Garry Street, Winnipeg, Manitoba, Canada R3C 3P3

T 204-430-7176 F 204-945-0593

e-mail: [RoadsideDevelopment@gov.mb.ca](mailto:RoadsideDevelopment@gov.mb.ca)

February 2, 2026

PD 190.10 New

Calvin So, Community Planning Assistant

Red River Planning District

E-mail: [calvin@rrpd.ca](mailto:calvin@rrpd.ca)

Dear Calvin:

**Re: Proposed Subdivision**

**File No: S26-3129**

**Pt NE 1/4 31-12-3E**

**RM of West St. Paul**

**Owner: Grenkow Grains Inc.**

---

In response to your e-mail dated January 5, 2026 we have reviewed the above noted subdivision application. The intent is to create one lot which contains an existing rural residence. The proposed lot has frontage along PR 321 (Rushman Road) and Pipeline Road with two existing accesses onto PR 321. The residual has frontage along PR 321 and Pipeline Road with an existing access onto PR 321. There are no changes in land use.

Based on available information, we do not object to this subdivision as proposed. Please be advised that Manitoba Transportation and Infrastructure will not approve any additional direct property access onto PR 321 nor any increase in use of the existing access onto PR 321. In order to maintain or improve traffic safety and efficiency, our policy is to limit or reduce the number of locations at which turning movements occur onto the highway and maximize the spacing between intersections. Wherever possible, we look for the opportunity to remove access connections and/or utilize existing access for joint use.

Please include the following as a condition of approval:

- The owners obtain a permit for the removal of the easterly existing access onto PR 321 (access closest to Pipeline Road) for the proposed lot. For permit information, please email [accessmgmt@gov.mb.ca](mailto:accessmgmt@gov.mb.ca) or call 204-583-2433. Permit information can also be found at <https://forms.gov.mb.ca/highway-permits-application/index.html>

Please note the following statutory requirements affecting PR 321.

#### **Statutory Requirements:**

Under the Transportation Infrastructure Act, a permit is required from Manitoba Transportation and Infrastructure to construct, modify, relocate, remove or intensify the use of an access. A permit is also required from Manitoba Infrastructure to construct, modify or relocate a structure

or sign, or to change or intensify the use of an existing structure (including the alteration of existing buildings) within **38.1m** (125ft) controlled area from the edge of the highway right-of-way.

In addition, a permit is required from Manitoba Transportation and Infrastructure for any planting placed within **15 m** (50 ft) from the edge of the highway right-of-way.


Please e-mail or call if you have any questions regarding our comments.

Thank You,

**Original signed and e-mailed February 2, 2026**

Jeff DiNella  
Senior Development Review Technologist

Cc: Eastern Region



**Archived:** February 2, 2026 2:58:55 PM

**From:** [+WPG569 - Drainage](#)

**Sent:** Tue, 20 Jan 2026 17:20:34

**To:** [Calvin So](#)

**Subject:** RE: S26-3129

**Importance:** Normal

**Sensitivity:** None

---

On behalf of Drainage & Water Rights Licencing – Drainage Section, there are no concerns and no requirement for an authorization under the Water Rights Act as it appears there are no new water control works proposed for this subdivision. If water control works are proposed, an authorization under the Water Rights Act is required.

Note #1 - Any filling or draining of regulated wetlands (Class 3, 4 or 5) constitutes the construction of water control works.

Note #2 – Class 6, 7 and Unimproved organic soils (ag capability) cannot be drained.

Rick Pemkowski CD

Water Resource Officer

[Rick.pemkowski@gov.mb.ca](mailto:Rick.pemkowski@gov.mb.ca) Cel: 204 761-0013

---

**From:** Calvin So <[calvin@rrpd.ca](mailto:calvin@rrpd.ca)>

**Sent:** January 5, 2026 3:01 PM

**To:** Pam Elias <[edo@weststpaul.com](mailto:edo@weststpaul.com)>; Planning <[planning@weststpaul.com](mailto:planning@weststpaul.com)>; +WPG112 - AGRLandUse <[AGRLandUse@gov.mb.ca](mailto:AGRLandUse@gov.mb.ca)>; +WPG574 - HRB Archaeology <[HRB.archaeology@gov.mb.ca](mailto:HRB.archaeology@gov.mb.ca)>; +SEL1081 - Selkirk CRP <[SelkirkCRP@gov.mb.ca](mailto:SelkirkCRP@gov.mb.ca)>; +WPG969 - Roadside Development <[RoadsideDevelopment@gov.mb.ca](mailto:RoadsideDevelopment@gov.mb.ca)>; +WPG1166 - MIT Water Review <[MITWaterReview@gov.mb.ca](mailto:MITWaterReview@gov.mb.ca)>; +WPG1195 - Mines BR <[mines\\_br@gov.mb.ca](mailto:mines_br@gov.mb.ca)>; +WPG569 - Drainage <[drainage@gov.mb.ca](mailto:drainage@gov.mb.ca)>; +WPG569 - Drinking Water - Subdivisions <[drinkingwater.subdivisions@gov.mb.ca](mailto:drinkingwater.subdivisions@gov.mb.ca)>; tony.kreml@7oaks.org; +WPG569 - EnvCEWinnipeg <[EnvCEWinnipeg@gov.mb.ca](mailto:EnvCEWinnipeg@gov.mb.ca)>; Teranet Manitoba - Surveys Planning <[mb.surveysplanning@teranet.ca](mailto:mb.surveysplanning@teranet.ca)>; SM-Subdivision Circulars <[SubdivisionCirculars@hydro.mb.ca](mailto:SubdivisionCirculars@hydro.mb.ca)>; 'neteng.control@bellmts.ca' <[neteng.control@bellmts.ca](mailto:neteng.control@bellmts.ca)>; Project Manager - Manitoba <[projectmanagermanitoba@rci.rogers.com](mailto:projectmanagermanitoba@rci.rogers.com)>; cathy.aiello-wilks@canadapost.postescanada.ca

**Cc:** Valentina Esman <[valentina@rrpd.ca](mailto:valentina@rrpd.ca)>; Gillian Kolody <[gillian@rrpd.ca](mailto:gillian@rrpd.ca)>

**Subject:** S26-3129

Hello,

Happy New Year to all!

Please see a subdivision application, S26-3129, attached for review and comments.

The applicant proposes to subdivide their property at 2858 Rushman Road into one lot and one residual lot.

Thanks,

 Calvin So, M.C.P.  
Community Planning Assistant  
Red River Planning District

2978 Birds Hill Rd. East St. Paul, MB R2E 1J5

Tel: 204-669-8880 Fax: 204-669-8882

[www.redriverplanning.com](http://www.redriverplanning.com)

Planning and Development Services for the Municipalities of:  
**Dunnottar – East St. Paul – St. Andrews – St. Clements – West St. Paul**

*The contents of this e-mail message and any attachments are confidential and are intended solely for addressee. The information may also be legally privileged. This transmission is sent in trust, for the sole purpose of delivery to the intended recipient. If you have received this transmission in error, any use, reproduction or dissemination of this transmission is strictly prohibited. If you are not the intended recipient, please immediately notify the sender by reply e-mail or phone and delete this message and its attachments, if any.*



# Memorandum

DATE: January 7, 2026

TO: Red River Planning District  
select email

FROM: Environmental Compliance and Enforcement  
Environment and Climate Change  
EnvCEWinnipeg@gov.mb.ca

**SUBJECT: Subdivision S26-3129**

Environment and Climate Change, Environmental Compliance and Enforcement has reviewed the aforementioned subdivision and has no comments or concerns at this time.



Transportation and Infrastructure

Engineering and Technical Services Division

Highway Design Branch – Roadside Development Section

1420-215 Garry Street, Winnipeg, Manitoba, Canada R3C 3P3

T 204-430-7176 F 204-945-0593

e-mail: [RoadsideDevelopment@gov.mb.ca](mailto:RoadsideDevelopment@gov.mb.ca)

February 2, 2026

PD 190.10 New

Calvin So, Community Planning Assistant

Red River Planning District

E-mail: [calvin@rrpd.ca](mailto:calvin@rrpd.ca)

Dear Calvin:

**Re: Proposed Subdivision**

**File No: S26-3129**

**Pt NE 1/4 31-12-3E**

**RM of West St. Paul**

**Owner: Grenkow Grains Inc.**

---

In response to your e-mail dated January 5, 2026 we have reviewed the above noted subdivision application. The intent is to create one lot which contains an existing rural residence. The proposed lot has frontage along PR 321 (Rushman Road) and Pipeline Road with two existing accesses onto PR 321. The residual has frontage along PR 321 and Pipeline Road with an existing access onto PR 321. There are no changes in land use.

Based on available information, we do not object to this subdivision as proposed. Please be advised that Manitoba Transportation and Infrastructure will not approve any additional direct property access onto PR 321 nor any increase in use of the existing access onto PR 321. In order to maintain or improve traffic safety and efficiency, our policy is to limit or reduce the number of locations at which turning movements occur onto the highway and maximize the spacing between intersections. Wherever possible, we look for the opportunity to remove access connections and/or utilize existing access for joint use.

Please include the following as a condition of approval:

- The owners obtain a permit for the removal of the easterly existing access onto PR 321 (access closest to Pipeline Road) for the proposed lot. For permit information, please email [accessmgmt@gov.mb.ca](mailto:accessmgmt@gov.mb.ca) or call 204-583-2433. Permit information can also be found at <https://forms.gov.mb.ca/highway-permits-application/index.html>

Please note the following statutory requirements affecting PR 321.

#### **Statutory Requirements:**

Under the Transportation Infrastructure Act, a permit is required from Manitoba Transportation and Infrastructure to construct, modify, relocate, remove or intensify the use of an access. A permit is also required from Manitoba Infrastructure to construct, modify or relocate a structure

or sign, or to change or intensify the use of an existing structure (including the alteration of existing buildings) within **38.1m** (125ft) controlled area from the edge of the highway right-of-way.

In addition, a permit is required from Manitoba Transportation and Infrastructure for any planting placed within **15 m** (50 ft) from the edge of the highway right-of-way.


Please e-mail or call if you have any questions regarding our comments.

Thank You,

**Original signed and e-mailed February 2, 2026**

Jeff DiNella  
Senior Development Review Technologist

Cc: Eastern Region



**DATE:** 2026-01-12

**TO:** **Calvin So**  
Community Planning Assistant  
Red River Planning District  
2978 Birds Hill Rd.  
East St. Paul, MB R2E 1J5

**FROM:** **Archaeological Assessment Services Unit**  
Historic Resources Branch  
Main Floor – 213 Notre Dame Avenue  
Winnipeg, MB  
R3B 1N3

**T:** (204) 945-2118 **F:** (204) 948-2384  
**e:** HRB.archaeology@gov.mb.ca

**SUBJECT:** **File: S26-3129**  
**AAS File: AAS-25-24924**  
**Proposal to Subdivide Land located at Pt East ½ of 31-12-03 EPM RM of West St. Paul**

**No Concerns at this Time**

Further to your e-mail regarding the above noted application, the Manitoba Historic Resources Branch (HRB) has examined the location in conjunction with Branch records for areas of potential concern. The potential to impact to heritage resources is believed to be low based on analysis of current data and evaluated by the type of action proposed, therefore, the HRB has no concerns with the proposed project at this time. This evaluation is only appropriate for this respective request.

**Legislation**

Under Section 46 and 51 of [the Heritage Resources Act](#) (the Act), if at any time, heritage resources are encountered in association with these lands during testing and development, there is an obligation to report any heritage resources and a prohibition on destruction, damage or alteration of said resources. HRB may require that an acceptable heritage resource management strategy be implemented by the proponent/developer to mitigate the effects of their activity on the heritage resources.

If you have any questions, please contact as above for proper assignment and queueing.

Historic Resources Branch  
Archaeological Assessment Services Unit

**Archived:** February 2, 2026 3:00:59 PM

**From:** [SM-Subdivision Circulars](#)

**Sent:** Wed, 21 Jan 2026 21:17:34

**To:** [Red River Planning District](#) [Valentina Esman](#) [Calvin So](#)

**Cc:** [PROPERTY ACQUISITION Project Manager - Manitoba](#)

**Subject:** S26-3129 - Email to Planning - Hydro File #2026-1026

**Importance:** Normal

**Sensitivity:** None

---



The Manitoba Hydro-Electric Board – Centra Gas Manitoba Inc.

RE: Application(s) **S26-3129**

Please be advised of the following Manitoba Hydro/Centra Gas conditions on file :

1. **Easements required**— Manitoba Hydro will require easements.

Manitoba Hydro will require the landowner to enter into a Statutory Easement Agreement(s) ("Agreements") with Manitoba Hydro regarding existing and/or future facilities associated with the subdivision as set out in the above noted application. 'a0 'a0

This registration requirement will need to be included as a condition on the final Certificate of Approval.

2. **No easements required**— Centra Gas Manitoba Inc. has no easement requirements.
3. If this application is revised at any time, it will be necessary for Manitoba Hydro/Centra Gas to review the file to determine if our easement requirements remain the same.
4. We have included the applicant—if the email address was not provided, please provide this letter to them.

#### Directions for the Applicant

**Should your subdivision application be issued a Conditional Approval letter (from the Approving Authority),** Manitoba Hydro requires the following to complete our condition:

1. Have the surveyor provide Manitoba Hydro with a pdf copy of the Subdivision Plan.
  - a. **Timelines can be reduced should the surveyor provide a CAD file (georeferenced preferred)**
  - b. Upon receiving the pdf or CAD file of the Subdivision Plan we will review and provide our easement requirements to your surveyor to prepare a Plan of Easement. (Unless otherwise informed by Manitoba Hydro)
  - c. Promptly provide any layout changes. (Including changes requested by Land titles office)
2. Provide us with the name of the lawyer which will be taking care of registration of your subdivision. If this information was included on your planning application, please disregard this item and simply review subsequent items a. and b.
  - a. Agreements will need to be signed by the landowners. The agreements and the plan of easement need to be sent in trust from our lawyer to the applicant's lawyer to ensure they are signed and registered.

- b. Once signed at the lawyer's office you will be provided with a release of conditions letter which can be given to the planning office.
3. Any removal or relocation of Manitoba Hydro and/or Centra Gas Manitoba Inc. existing facilities as a result of the proposed subdivision will be at the expense of the developer and/or customer.
4. Should you require further electrical or gas services please fill out the online form on the [Manitoba Hydro](#) website.

The lawyer information, subdivision plan and any/or inquiries can be sent to [HCSC@hydro.mb.ca](mailto:HCSC@hydro.mb.ca).

### **Subdivision Application Status Dashboard and Land Management Site**

**View the status of your subdivision within Manitoba Hydro using our Subdivision Application Status Dashboard and [FAQ's](#) about the subdivision process on our [Land Management Site](#). Instructions for how the Subdivision Application Status Dashboard works will be in the Subdivisions tab.** (Dashboard is best viewed on a desktop computer)

Subdivision Coordination Team  
Manitoba Hydro, Property Department  
12<sup>th</sup> Floor – 360 Portage Ave  
Winnipeg, MB  
R3C 0G8 Canada



**Archived:** February 2, 2026 2:58:23 PM

**From:** [+WPG1166 - MIT Water Review](#)

**Sent:** Mon, 5 Jan 2026 21:44:54

**To:** [Calvin So](#)

**Cc:** [+WPG1166 - MIT Water Review](#)

**Subject:** RE: S26-3129

**Importance:** Normal

**Sensitivity:** None

---

Hello Calvin,

We have no concerns with this file.

Thanks. Happy New Year!

**Matthew Sebesteny**

Development Review Specialist

Hydrologic Forecasting & Water Management Branch

Manitoba Transportation & Infrastructure

---

**From:** Calvin So <calvin@rrpd.ca>

**Sent:** January 5, 2026 15:01

**To:** Pam Elias <edo@weststpaul.com>; Planning <planning@weststpaul.com>; +WPG112 - AGRLandUse <AGRLandUse@gov.mb.ca>; +WPG574 - HRB Archaeology <HRB.archaeology@gov.mb.ca>; +SEL1081 - Selkirk CRP <SelkirkCRP@gov.mb.ca>; +WPG969 - Roadside Development <RoadsideDevelopment@gov.mb.ca>; +WPG1166 - MIT Water Review <MITWaterReview@gov.mb.ca>; +WPG1195 - Mines BR <mines\_br@gov.mb.ca>; +WPG569 - Drainage <drainage@gov.mb.ca>; +WPG569 - Drinking Water - Subdivisions <drinkingwater.subdivisions@gov.mb.ca>; tony.kreml@7oaks.org; +WPG569 - EnvCEWinnipeg <EnvCEWinnipeg@gov.mb.ca>; Teranet Manitoba - Surveys Planning <mb.surveysplanning@teranet.ca>; SM-Subdivision Circulars <SubdivisionCirculars@hydro.mb.ca>; 'neteng.control@bellmts.ca' <neteng.control@bellmts.ca>; Project Manager - Manitoba <projectmanagermanitoba@rci.rogers.com>; cathy.aiello-wilks@canadapost.postescanada.ca

**Cc:** Valentina Esman <valentina@rrpd.ca>; Gillian Kolody <gillian@rrpd.ca>

**Subject:** S26-3129

Hello,

Happy New Year to all!

Please see a subdivision application, S26-3129, attached for review and comments.

The applicant proposes to subdivide their property at 2858 Rushman Road into one lot and one residual lot.

Thanks,



Calvin So, M.C.P.  
Community Planning Assistant  
Red River Planning District

2978 Birds Hill Rd. East St. Paul, MB R2E 1J5

Tel: 204-669-8880 Fax: 204-669-8882

[www.redriverplanning.com](http://www.redriverplanning.com)

Planning and Development Services for the Municipalities of:

Dunnottar – East St. Paul – St. Andrews – St. Clements – West St. Paul

*The contents of this e-mail message and any attachments are confidential and are intended solely for addressee. The information may also be legally privileged. This transmission is sent in trust, for the sole purpose of delivery to the intended recipient. If you have received this transmission in error, any use, reproduction or dissemination of this transmission is strictly prohibited. If you are not the intended recipient, please immediately notify the sender by reply e-mail or phone and delete this message and its attachments, if any.*

**Archived:** February 2, 2026 2:58:25 PM

**From:** [Pam Elias](#)

**Sent:** January 12, 2026 10:49:17 AM

**To:** [Calvin So Planning](#)

**Cc:** [Valentina Esman](#) [Gillian Kolody](#)

**Subject:** Re: S26-3129

**Importance:** Normal

**Sensitivity:** None

**Attachments:**

Outlook-WSP\_LOGO\_C.png



---

Hi Calvin,

Administration recommends the following conditions, should this application be approved.

Applicant / owner submits confirmation in writing from the Chief Administrative Officer of the municipality that:

- a. taxes on the land to be subdivided for the current year, plus any arrears have been paid or arrangements satisfactory to Council have been made;
- b. payment of any applicable development levies; and
- c. enter into a Development Agreement with the Municipality addressing matters including but not limited to:
  - i. Development fees
  - ii. Servicing
  - iii. A drainage / lot grading plan to be prepared by a qualified engineer and submitted prior to any development to the satisfaction of the municipality, and to ensure that the proposed property does not drain into, or impede drainage from neighboring properties;
  - iv. Access
  - v. Requirement that owner notify prospective buyers of the property's proximity to the Rockwood Sensitive Area.

Regards,

**Pam Elias, MCIP**


Director of Planning

RM of West St. Paul

3550 Main Street, West St. Paul, MB R4A 5A3

Phone: 204-338-0306 Fax: 204-334-9362

<http://weststpaul.com>



This communication is intended only for the person to whom it is addressed, and may contain information that is confidential. Any other use, distribution, copying or disclosure is strictly prohibited. If you have received this communication in error, please notify the sender immediately by phone (204-338-0306) or reply to the message and then delete and destroy any copies of it.

---

**From:** Calvin So <calvin@rrpd.ca>

**Sent:** Monday, January 05, 2026 3:00 PM

**To:** Pam Elias <edo@weststpaul.com>; Planning <planning@weststpaul.com>; +WPG112 - AGRLandUse <agrlanduse@gov.mb.ca>; +WPG574 - HRB Archaeology <hrb.archaeology@gov.mb.ca>; +SEL1081 - Selkirk CRP <SelkirkCRP@gov.mb.ca>; +WPG969 - Roadside Development <RoadsideDevelopment@gov.mb.ca>; +WPG1166 - MIT Water Review <mitwaterreview@gov.mb.ca>; +WPG1195 - Mines BR <mines\_br@gov.mb.ca>; drainage@gov.mb.ca <drainage@gov.mb.ca>; drinkingwater.subdivisions@gov.mb.ca <drinkingwater.subdivisions@gov.mb.ca>; tony.kreml@7oaks.org <tony.kreml@7oaks.org>; envcewinnipeg@gov.mb.ca <envcewinnipeg@gov.mb.ca>; Teranet Manitoba - Surveys Planning <mb.surveysplanning@teranet.ca>; SM-Subdivision Circulars <SubdivisionCirculars@hydro.mb.ca>; 'neteng.control@bellmts.ca' <neteng.control@bellmts.ca>; Project Manager - Manitoba <projectmanagermanitoba@rci.rogers.com>; cathy.aiello-wilks@canadapost.postescanada.ca <cathy.aiello-wilks@canadapost.postescanada.ca>

**Cc:** Valentina Esman <valentina@rrpd.ca>; Gillian Kolody <gillian@rrpd.ca>

**Subject:** S26-3129

Hello,

Happy New Year to all!

Please see a subdivision application, S26-3129, attached for review and comments.

The applicant proposes to subdivide their property at 2858 Rushman Road into one lot and one residual lot.

Thanks,



Calvin So, M.C.P.  
Community Planning Assistant  
Red River Planning District

2978 Birds Hill Rd. East St. Paul, MB R2E 1J5

Tel: 204-669-8880 Fax: 204-669-8882

[www.redriverplanning.com](http://www.redriverplanning.com)

Planning and Development Services for the Municipalities of:

**Dunnottar – East St. Paul – St. Andrews – St. Clements – West St. Paul**

The contents of this e-mail message and any attachments are confidential and are intended solely for addressee. The information may also be legally privileged. This transmission is sent in trust, for the sole purpose of delivery to the intended recipient. If you have received this transmission in error, any use, reproduction or dissemination of this transmission is strictly prohibited. If you are not the intended recipient, please immediately notify the sender by reply e-mail or phone and delete this message and its attachments, if any.

**Archived:** February 2, 2026 2:58:29 PM

**From:** [Pam Elias](#)

**Sent:** Mon, 12 Jan 2026 16:49:04

**To:** [Calvin So Planning](#)

**Cc:** [Valentina Esman](#) [Gillian Kolody](#)

**Subject:** Re: S26-3129

**Importance:** Normal

**Sensitivity:** None

**Attachments:**

Outlook-WSP\_LOGO\_C.png



---

Hi Calvin,

Administration recommends the following conditions, should this application be approved.

Applicant / owner submits confirmation in writing from the Chief Administrative Officer of the municipality that:

- a. taxes on the land to be subdivided for the current year, plus any arrears have been paid or arrangements satisfactory to Council have been made;
- b. payment of any applicable development levies; and
- c. enter into a Development Agreement with the Municipality addressing matters including but not limited to:
  - i. Development fees
  - ii. Servicing
  - iii. A drainage / lot grading plan to be prepared by a qualified engineer and submitted prior to any development to the satisfaction of the municipality, and to ensure that the proposed property does not drain into, or impede drainage from neighboring properties;
  - iv. Access
  - v. Requirement that owner notify prospective buyers of the property's proximity to the Rockwood Sensitive Area.

Regards,

**Pam Elias, MCIP**


Director of Planning

RM of West St. Paul

3550 Main Street, West St. Paul, MB R4A 5A3

Phone: 204-338-0306 Fax: 204-334-9362

<http://weststpaul.com>



This communication is intended only for the person to whom it is addressed, and may contain information that is confidential. Any other use, distribution, copying or disclosure is strictly prohibited. If you have received this communication in error, please notify the sender immediately by phone (204-338-0306) or reply to the message and then delete and destroy any copies of it.

---

**From:** Calvin So <calvin@rrpd.ca>

**Sent:** Monday, January 05, 2026 3:00 PM

**To:** Pam Elias <edo@weststpaul.com>; Planning <planning@weststpaul.com>; +WPG112 - AGRLandUse <agrlanduse@gov.mb.ca>; +WPG574 - HRB Archaeology <hrb.archaeology@gov.mb.ca>; +SEL1081 - Selkirk CRP <SelkirkCRP@gov.mb.ca>; +WPG969 - Roadside Development <RoadsideDevelopment@gov.mb.ca>; +WPG1166 - MIT Water Review <mitwaterreview@gov.mb.ca>; +WPG1195 - Mines BR <mines\_br@gov.mb.ca>; drainage@gov.mb.ca <drainage@gov.mb.ca>; drinkingwater.subdivisions@gov.mb.ca <drinkingwater.subdivisions@gov.mb.ca>; tony.kreml@7oaks.org <tony.kreml@7oaks.org>; envcewinnipeg@gov.mb.ca <envcewinnipeg@gov.mb.ca>; Teranet Manitoba - Surveys Planning <mb.surveysplanning@teranet.ca>; SM-Subdivision Circulars <SubdivisionCirculars@hydro.mb.ca>; 'neteng.control@bellmts.ca' <neteng.control@bellmts.ca>; Project Manager - Manitoba <projectmanagermanitoba@rci.rogers.com>; cathy.aiello-wilks@canadapost.postescanada.ca <cathy.aiello-wilks@canadapost.postescanada.ca>

**Cc:** Valentina Esman <valentina@rrpd.ca>; Gillian Kolody <gillian@rrpd.ca>

**Subject:** S26-3129

Hello,

Happy New Year to all!

Please see a subdivision application, S26-3129, attached for review and comments.

The applicant proposes to subdivide their property at 2858 Rushman Road into one lot and one residual lot.

Thanks,



Calvin So, M.C.P.  
Community Planning Assistant  
Red River Planning District

2978 Birds Hill Rd. East St. Paul, MB R2E 1J5

Tel: 204-669-8880 Fax: 204-669-8882

[www.redriverplanning.com](http://www.redriverplanning.com)

Planning and Development Services for the Municipalities of:

**Dunnottar – East St. Paul – St. Andrews – St. Clements – West St. Paul**

The contents of this e-mail message and any attachments are confidential and are intended solely for addressee. The information may also be legally privileged. This transmission is sent in trust, for the sole purpose of delivery to the intended recipient. If you have received this transmission in error, any use, reproduction or dissemination of this transmission is strictly prohibited. If you are not the intended recipient, please immediately notify the sender by reply e-mail or phone and delete this message and its attachments, if any.

**Archived:** February 2, 2026 2:58:33 PM

**From:** [Project Manager - Manitoba](#)

**Sent:** Wed, 7 Jan 2026 20:59:42

**To:** [Project Manager - Manitoba](#) [Calvin So](#) [Pam Elias](#) [Planning +WPG112 - AGRLandUse +WPG574 - HRB Archaeology +SEL1081 - Selkirk CRP +WPG969 - Roadside Development +WPG1166 - MIT Water Review +WPG1195 - Mines BR drainage@gov.mb.ca](#) [drinkingwater.subdivisions@gov.mb.ca](#) [tony.kreml@7oaks.org](#) [envcewinnipeg@gov.mb.ca](#) [Teranet Manitoba - Surveys Planning SM-Subdivision Circulars 'neteng.control@bellmts.ca'](#) [cathy.aiello-wilks@canadapost.postescanada.ca](#)

**Cc:** [Valentina Esman](#) [Gillian Kolody](#)

**Subject:** RE: S26-3129

**Importance:** Normal

**Sensitivity:** None

---

Rogers has no concerns or requirements with this file as we have no infrastructure in this area. Thank you for reaching out to us.

**Sarah Hill**

**Project Coordinator, Planning ON, MB & SK**

Rogers Communications

1635 Paquette Rd Thunder Bay, ON P7G 2J2

[e\\_sarah.hill@rci.rogers.com](mailto:e_sarah.hill@rci.rogers.com)

---

**From:** Calvin So <[calvin@rrpd.ca](mailto:calvin@rrpd.ca)>

**Sent:** Monday, January 5, 2026 4:01 PM

**To:** Pam Elias <[edo@weststpaul.com](mailto:edo@weststpaul.com)>; Planning <[planning@weststpaul.com](mailto:planning@weststpaul.com)>; +WPG112 - AGRLandUse <[agrlanduse@gov.mb.ca](mailto:agrlanduse@gov.mb.ca)>; +WPG574 - HRB Archaeology <[hrb.archaeology@gov.mb.ca](mailto:hrb.archaeology@gov.mb.ca)>; +SEL1081 - Selkirk CRP <[SelkirkCRP@gov.mb.ca](mailto:SelkirkCRP@gov.mb.ca)>; +WPG969 - Roadside Development <[RoadsideDevelopment@gov.mb.ca](mailto:RoadsideDevelopment@gov.mb.ca)>; +WPG1166 - MIT Water Review <[mitwaterreview@gov.mb.ca](mailto:mitwaterreview@gov.mb.ca)>; +WPG1195 - Mines BR <[mines\\_br@gov.mb.ca](mailto:mines_br@gov.mb.ca)>; [drainage@gov.mb.ca](#); [drinkingwater.subdivisions@gov.mb.ca](#); [tony.kreml@7oaks.org](#); [envcewinnipeg@gov.mb.ca](#); [Teranet Manitoba - Surveys Planning <mb.surveysplanning@teranet.ca>](#); SM-Subdivision Circulars <[SubdivisionCirculars@hydro.mb.ca](mailto:SubdivisionCirculars@hydro.mb.ca)>; 'neteng.control@bellmts.ca' <[neteng.control@bellmts.ca](mailto:neteng.control@bellmts.ca)>; Project Manager - Manitoba <[ProjectManagerManitoba@rci.rogers.com](mailto:ProjectManagerManitoba@rci.rogers.com)>; [cathy.aiello-wilks@canadapost.postescanada.ca](#)

**Cc:** Valentina Esman <[valentina@rrpd.ca](mailto:valentina@rrpd.ca)>; Gillian Kolody <[gillian@rrpd.ca](mailto:gillian@rrpd.ca)>

**Subject:** S26-3129

Hello,

Happy New Year to all!

Please see a subdivision application, S26-3129, attached for review and comments.

The applicant proposes to subdivide their property at 2858 Rushman Road into one lot and one residual lot.

Thanks,



Calvin So, M.C.P.  
Community Planning Assistant

**Red River Planning District**

2978 Birds Hill Rd. East St. Paul, MB R2E 1J5

Tel: 204-669-8880 Fax: 204-669-8882

[www.redriverplanning.com](http://www.redriverplanning.com)

Planning and Development Services for the Municipalities of:

**Dunnottar – East St. Paul – St. Andrews – St. Clements – West St. Paul**

*The contents of this e-mail message and any attachments are confidential and are intended solely for addressee. The information may also be legally privileged. This transmission is sent in trust, for the sole purpose of delivery to the intended recipient. If you have received this transmission in error, any use, reproduction or dissemination of this transmission is strictly prohibited. If you are not the intended recipient, please immediately notify the sender by reply e-mail or phone and delete this message and its attachments, if any.*

---

**Canada's Largest and Most Reliable 5G Network**

This communication is confidential. We only send and receive email on the basis of the terms set out at

<https://www.rogers.com/emailnotice>

Le réseau 5G le plus étendu et le plus fiable au pays

Ce message est confidentiel. Notre transmission et réception de courriels se fait strictement suivant les modalités énoncées dans l'avis publié à [www.rogers.com/aviscourriel](http://www.rogers.com/aviscourriel)

---

**Archived:** February 2, 2026 2:58:36 PM  
**From:** [Teranet Manitoba - Surveys Planning](#)  
**Sent:** Tue, 6 Jan 2026 20:09:12  
**To:** [Calvin So](#)  
**Subject:** RE: S26-3129  
**Importance:** Normal  
**Sensitivity:** None

---

Good Afternoon,

Land Titles requirements are as follows:

A Plan of Subdivision as proposed is required.

Thank you

**Amanda Jankowski**  
Plan Registration 1 | Surveys

---

**From:** Calvin So <[calvin@rrpd.ca](mailto:calvin@rrpd.ca)>  
**Sent:** January 5, 2026 3:01 PM  
**To:** Pam Elias <[edo@weststpaul.com](mailto:edo@weststpaul.com)>; Planning <[planning@weststpaul.com](mailto:planning@weststpaul.com)>; +WPG112 - AGRLandUse <[agrlanduse@gov.mb.ca](mailto:agrlanduse@gov.mb.ca)>; +WPG574 - HRB Archaeology <[hrb.archaeology@gov.mb.ca](mailto:hrb.archaeology@gov.mb.ca)>; +SEL1081 - Selkirk CRP <[SelkirkCRP@gov.mb.ca](mailto:SelkirkCRP@gov.mb.ca)>; +WPG969 - Roadside Development <[RoadsideDevelopment@gov.mb.ca](mailto:RoadsideDevelopment@gov.mb.ca)>; +WPG1166 - MIT Water Review <[mitwaterreview@gov.mb.ca](mailto:mitwaterreview@gov.mb.ca)>; +WPG1195 - Mines BR <[mines\\_br@gov.mb.ca](mailto:mines_br@gov.mb.ca)>; [drainage@gov.mb.ca](mailto:drainage@gov.mb.ca); [drinkingwater.subdivisions@gov.mb.ca](mailto:drinkingwater.subdivisions@gov.mb.ca); [tony.kreml@7oaks.org](mailto:tony.kreml@7oaks.org); [envcewinnipeg@gov.mb.ca](mailto:envcewinnipeg@gov.mb.ca); Teranet Manitoba - Surveys Planning <[mb.surveysplanning@teranet.ca](mailto:mb.surveysplanning@teranet.ca)>; SM-Subdivision Circulars <[SubdivisionCirculars@hydro.mb.ca](mailto:SubdivisionCirculars@hydro.mb.ca)>; 'neteng.control@bellmts.ca' <[neteng.control@bellmts.ca](mailto:neteng.control@bellmts.ca)>; Project Manager - Manitoba <[projectmanagermanitoba@rci.rogers.com](mailto:projectmanagermanitoba@rci.rogers.com)>; [cathy.aiello-wilks@canadapost.postescanada.ca](mailto:cathy.aiello-wilks@canadapost.postescanada.ca)  
**Cc:** Valentina Esman <[valentina@rrpd.ca](mailto:valentina@rrpd.ca)>; Gillian Kolody <[gillian@rrpd.ca](mailto:gillian@rrpd.ca)>  
**Subject:** S26-3129

Hello,

Happy New Year to all!

Please see a subdivision application, S26-3129, attached for review and comments.

The applicant proposes to subdivide their property at 2858 Rushman Road into one lot and one residual lot.

Thanks,



Calvin So, M.C.P.  
Community Planning Assistant  
Red River Planning District

2978 Birds Hill Rd. East St. Paul, MB R2E 1J5

Tel: 204-669-8880 Fax: 204-669-8882

[www.redriverplanning.com](http://www.redriverplanning.com)

Planning and Development Services for the Municipalities of:

**Dunnottar – East St. Paul – St. Andrews – St. Clements – West St. Paul**

*The contents of this e-mail message and any attachments are confidential and are intended solely for addressee. The information may also be legally privileged. This transmission is sent in trust, for the sole purpose of delivery to the intended recipient. If you have received this transmission in error, any use, reproduction or dissemination of this transmission is strictly prohibited. If you are not the intended recipient, please immediately notify the sender by reply e-mail or phone and delete this message and its attachments, if any.*

**Archived:** February 2, 2026 2:58:39 PM

**From:** [Harms, Tina](#)

**Sent:** Fri, 23 Jan 2026 16:59:25

**To:** [Calvin So](#) +[WPG112 - AGRLandUse](#) [Red River Planning District](#)

**Subject:** RE: S26-3129

**Importance:** Normal

**Sensitivity:** None

---

File: S26-3129

Applicant: Daniel Grenkow

Location: Pt of NE-31-12-3 EPM, RM of West St. Paul

Proposal: subdivision of a 7.4-acre farmstead from a 78.77-acre parcel resulting in a 71.37-acre residual agricultural parcel

I have reviewed this proposed subdivision on behalf of Manitoba Agriculture. The request proposes to subdivide a 7.4-acre farmstead from a 78.77-acre parcel resulting in a 71.37-acre residual agricultural parcel. The proposed subdivision resides within a designated Resource & Agriculture Policy Area under the Red River Planning District Development Plan. The proposed subdivision may be given consideration under policy 4.1.14.1. of the Development Plan. No objection.

Regards,

Tina

**Tina Harms, M.Sc., P.Ag.**

Land Use Specialist

Sustainable Agriculture Branch

[Tina.Harms@gov.mb.ca](mailto:Tina.Harms@gov.mb.ca)

T: 204-761-0701

CONFIDENTIALITY NOTE: This e-mail message (including any attachments) is confidential and may also be privileged, and all rights to privilege are expressly claimed and are not waived. Any use, dissemination, copying or disclosure of this message and any attachments, in whole or in part, by anyone other than the intended recipients strictly prohibited. If you have received this message in error, please delete this message and any attachments in a secure manner.

---

**From:** Calvin So <[calvin@rrpd.ca](mailto:calvin@rrpd.ca)>

**Sent:** January 5, 2026 3:01 PM

**To:** Pam Elias <[edo@weststpaul.com](mailto:edo@weststpaul.com)>; Planning <[planning@weststpaul.com](mailto:planning@weststpaul.com)>; +[WPG112 - AGRLandUse](#) <[AGRLandUse@gov.mb.ca](mailto:AGRLandUse@gov.mb.ca)>; +[WPG574 - HRB Archaeology](#) <[HRB.archaeology@gov.mb.ca](mailto:HRB.archaeology@gov.mb.ca)>; +[SEL1081 - Selkirk CRP](#) <[SelkirkCRP@gov.mb.ca](mailto:SelkirkCRP@gov.mb.ca)>; +[WPG969 - Roadside Development](#) <[RoadsideDevelopment@gov.mb.ca](mailto:RoadsideDevelopment@gov.mb.ca)>; +[WPG1166 - MIT Water Review](#) <[MITWaterReview@gov.mb.ca](mailto:MITWaterReview@gov.mb.ca)>; +[WPG1195 - Mines BR](#) <[mines\\_br@gov.mb.ca](mailto:mines_br@gov.mb.ca)>; +[WPG569 - Drainage](#) <[drainage@gov.mb.ca](mailto:drainage@gov.mb.ca)>; +[WPG569 - Drinking Water - Subdivisions](#) <[drinkingwater.subdivisions@gov.mb.ca](mailto:drinkingwater.subdivisions@gov.mb.ca)>; [tony.kreml@7oaks.org](mailto:tony.kreml@7oaks.org); +[WPG569 - EnvCEWinnipeg](#) <[EnvCEWinnipeg@gov.mb.ca](mailto:EnvCEWinnipeg@gov.mb.ca)>; Teranet Manitoba - Surveys Planning <[mb.surveysplanning@teranet.ca](mailto:mb.surveysplanning@teranet.ca)>; SM-Subdivision Circulars <[SubdivisionCirculars@hydro.mb.ca](mailto:SubdivisionCirculars@hydro.mb.ca)>; '[neteng.control@bellmts.ca](mailto:neteng.control@bellmts.ca)' <[neteng.control@bellmts.ca](mailto:neteng.control@bellmts.ca)>; Project Manager - Manitoba <[projectmanagermanitoba@rci.rogers.com](mailto:projectmanagermanitoba@rci.rogers.com)>; [cathy.aiello-wilks@canadapost.postescanada.ca](mailto:cathy.aiello-wilks@canadapost.postescanada.ca)

**Cc:** Valentina Esman <[valentina@rrpd.ca](mailto:valentina@rrpd.ca)>; Gillian Kolody <[gillian@rrpd.ca](mailto:gillian@rrpd.ca)>

**Subject:** S26-3129

Hello,

Happy New Year to all!

Please see a subdivision application, S26-3129, attached for review and comments.

The applicant proposes to subdivide their property at 2858 Rushman Road into one lot and one residual lot.

Thanks,



**Calvin So, M.C.P.**  
**Community Planning Assistant**  
**Red River Planning District**

2978 Birds Hill Rd. East St. Paul, MB R2E 1J5

Tel: 204-669-8880 Fax: 204-669-8882

[www.redriverplanning.com](http://www.redriverplanning.com)

Planning and Development Services for the Municipalities of:

**Dunnottar – East St. Paul – St. Andrews – St. Clements – West St. Paul**

*The contents of this e-mail message and any attachments are confidential and are intended solely for addressee. The information may also be legally privileged. This transmission is sent in trust, for the sole purpose of delivery to the intended recipient. If you have received this transmission in error, any use, reproduction or dissemination of this transmission is strictly prohibited. If you are not the intended recipient, please immediately notify the sender by reply e-mail or phone and delete this message and its attachments, if any.*

**Bell MTS Subdivisions**

Bell MTS, a division of Bell Canada  
Winnipeg, Manitoba  
[subdivisions@bellmts.ca](mailto:subdivisions@bellmts.ca)  
[www.bellmts.ca](http://www.bellmts.ca)



**January 6, 2026**

**File No. S26-3129**

**Attention:** Calvin So, M.C.P.  
Community Planning Assistant  
Red River Planning District  
2978 Birds Hill Rd. East St. Paul, MB R2E 1J5  
T.204-669-8880 F. 204-669-8882  
[calvin@rrpd.ca](mailto:calvin@rrpd.ca)

**RE:** Proposal to Subdivide  
2858 Rushman Road  
Being Pt. NE ¼ of Section 31-12-3 EPM  
R.M of West St Paul  
Registered Owner: Grenkow Grains Inc.

---

Bell MTS has no new easement requirements with respect to application numbered S26-3129.

Any existing Bell MTS services, easement agreements and or caveats affecting the lands to be subdivided will be brought forward on the new plan of subdivision unless otherwise specified.

Removal or relocation of existing Bell MTS facilities as a result of the proposed subdivision will be at the expense of the developer and/or customer.

Thank-you,  
Heather Dixon  
Network Services Associate  
[subdivisions@bellmts.ca](mailto:subdivisions@bellmts.ca)

**cc.** Bell MTS Property Acquisitions / Hydro SM-Subdivision Circulars



**Archived:** February 2, 2026 2:58:52 PM

**From:** [AIELLO-WILKS, Cathy](#)

**Sent:** Tue, 6 Jan 2026 13:26:08

**To:** [Calvin So](#)

**Subject:** Re: S26-3129

**Importance:** Normal

**Sensitivity:** None

---

You don't often get email from cathy.aiello-wilks@canadapost.postescanada.ca. [Learn why this is important](#)

Canada Post has no requirements or comments for above noted subdivision.

Thank you,  
Cathy Aiello-Wilks  
Delivery Planning Officer  
Canada Post Corporation  
1870 Wellington Ave  
Winnipeg MB R3H 3H3  
Cell # 204 333 7702

---

**From:** Calvin So <calvin@rrpd.ca>

**Sent:** January 5, 2026 3:00 PM

**To:** Pam Elias <edo@weststpaul.com>; Planning <planning@weststpaul.com>; +WPG112 - AGRLandUse <agrlanduse@gov.mb.ca>; +WPG574 - HRB Archaeology <hrb.archaeology@gov.mb.ca>; +SEL1081 - Selkirk CRP <SelkirkCRP@gov.mb.ca>; +WPG969 - Roadside Development <RoadsideDevelopment@gov.mb.ca>; +WPG1166 - MIT Water Review <mitwaterreview@gov.mb.ca>; +WPG1195 - Mines BR <mines\_br@gov.mb.ca>; drainage@gov.mb.ca <drainage@gov.mb.ca>; drinkingwater.subdivisions@gov.mb.ca <drinkingwater.subdivisions@gov.mb.ca>; tony.kreml@7oaks.org <tony.kreml@7oaks.org>; envcewinnipeg@gov.mb.ca <envcewinnipeg@gov.mb.ca>; Teranet Manitoba - Surveys Planning <mb.surveysplanning@teranet.ca>; SM-Subdivision Circulars <SubdivisionCirculars@hydro.mb.ca>; 'neteng.control@bellmts.ca' <neteng.control@bellmts.ca>; Project Manager - Manitoba <projectmanagermanitoba@rci.rogers.com>; AIELLO-WILKS, Cathy <cathy.aiello-wilks@canadapost.postescanada.ca>

**Cc:** Valentina Esman <valentina@rrpd.ca>; Gillian Kolody <gillian@rrpd.ca>

**Subject:** S26-3129

---

**This Message Is From an External Sender | Ce message provient d'un expéditeur externe**

This message came from outside your organization. Please be CAUTIOUS, particularly with links and attachments. | Ce message provient de l'extérieur de votre organisation. Veuillez faire preuve de PRUDENCE, particulièrement lorsqu'il s'agit de liens et de pièces jointes.

[Report Suspicious](#)

Hello,

Happy New Year to all!

Please see a subdivision application, S26-3129, attached for review and comments.

The applicant proposes to subdivide their property at 2858 Rushman Road into one lot and one residual lot.

Thanks,



**Calvin So, M.C.P.**  
**Community Planning Assistant**  
**Red River Planning District**

2978 Birds Hill Rd. East St. Paul, MB R2E 1J5

Tel: 204-669-8880 Fax: 204-669-8882

[www.redriverplanning.com](http://www.redriverplanning.com)

Planning and Development Services for the Municipalities of:

**Dunnottar – East St. Paul – St. Andrews – St. Clements – West St. Paul**

*The contents of this e-mail message and any attachments are confidential and are intended solely for addressee. The information may also be legally privileged. This transmission is sent in trust, for the sole purpose of delivery to the intended recipient. If you have received this transmission in error, any use, reproduction or dissemination of this transmission is strictly prohibited. If you are not the intended recipient, please immediately notify the sender by reply e-mail or phone and delete this message and its attachments, if any.*